INDEX TO VOLUME 33 1998

Index to Authors and Contributors

AJOVALASIT, A. *Papers* A review of automated methods for the collection and analysis of photoelastic data, 75. A method for reducing the influence of quarter-wave plate errors in phase stepping photoelasticity, 207

ARIAS, F. *Paper* Fatigue properties of a glass-fibre-reinforced polyester material used in wind turbine blades, 183

ARNELL, R. D. *Papers* The finite element analysis of a strain hardening layered medium under normal loading by (a) a rigid and (b) a deformable indenter, 401. Finite element solutions comparing the normal contact of an elastic–plastic layered medium under loading by (a) a rigid and (b) a deformable indenter, 411

BARONE, S. *Papers* A review of automated methods for the collection and analysis of photoelastic data, 75. A method for reducing the influence of quarter-wave plate errors in phase stepping photoelasticity, 207. Polymer coating as a strain witness in thermoelasticity, 223. An alternative finite difference method for post-processing thermoelastic data using compatibility, 437

BLOMERUS, P. M. *Paper* Modelling plasticity in finite bodies containing stress concentrations by a distributed dislocation method, 315

BRENNAN, F. P. *Paper* A theoretical and experimental study of alternating current stress measurement under different loading modes, 291

CHEN, K. *Paper* A theoretical and experimental study of alternating current stress measurement under different loading modes, 291

CHIANG, C. R. *Technical Note* Stress concentration factors of edge-notched orthotropic plates, 395

CIAVARELLA, M. *Technical Note* On the post-processing of data obtained from cracked components, 67

CLAUSEN, B. *Paper* Characterization of residual stresses generated during inhomogeneous plastic deformation, 243

DANCKERT, J. *Paper* Characterization of residual stresses generated during inhomogeneous plastic deformation, 243

DEMELIO, G. *Technical Note* On the post-processing of data obtained from cracked components, 67

DULIEU-BARTON, J. M. *Paper* Development and applications of thermoelastic stress analysis, 93

DUNNE, F. P. E. *Paper* Approximate method for the analysis of components undergoing ratchetting and failure, 55

FAULKNER, A. *Papers* The finite element analysis of a strain hardening layered medium under normal loading by (a) a rigid and (b) a deformable indenter, 401. Finite element solutions comparing the normal contact of an elastic–plastic layered medium under loading by (a) a rigid and (b) a deformable indenter, 411

FAURHOLDT, T. *Paper* Characterization of residual stresses generated during inhomogeneous plastic deformation, 243

FENNER, R. T. *Paper* Two-dimensional elastic contact analysis by coupling finite element and boundary element methods, 459

FESSLER, H. *Paper* The effect of regrinding bearing surfaces on stresses in overlapped crankshafts, 305

GUROVA, T. *Paper* Model for the variation of the residual stress state during plastic deformation under uniaxial tension, 367

HARUKI, K. *Paper* Effect of the type of creep constitutive equation on strain and stress distributions of notched cylindrical bars under tension creep, 347

HAYHURST, D. R. *Paper* Approximate method for the analysis of components undergoing ratchetting and failure, 55

HELLER, M. *Paper* Substrate stress concentrations in bonded lap joints, 331

HILLS, D. A. *Papers* Designing against fretting fatigue: crack self-arrest, 17. Modelling plasticity in finite bodies containing stress concentrations by a distributed dislocation method, 315. *Technical Note* Sliding contact between a blunt wedge and an elastically dissimilar half-plane, 469

HOLDEN, T. M. *Paper* The development of intergranular strains in a high-strength steel, 373

HUNTLEY, J. M. *Paper* Automated fringe pattern analysis in experimental mechanics: a review, 105

HYDE, T. H. *Paper* The effect of regrinding bearing surfaces on stresses in overlapped crankshafts, 305

KANG, C. T. *Paper* Ultimate strength of a double-tee tubular joint subjected to combined chord compression and brace out-of-plane bending, 385

KIMMINS, S. T. *Paper* On the relaxation of interface stresses during creep of ferritic steel weldments, 195

KIMURA, K. *Paper* Analysis of large deflections for pressure loaded plates with rigid inclusions, 217

KUPFER, G. *Paper* Strain analysis by means of digital shearography: potential, limitations and demonstration, 171

LIN, J. *Paper* Approximate method for the analysis of components undergoing ratchetting and failure, 55

LIU, Q. *Paper* Effect of the type of creep constitutive equation on strain and stress distributions of notched cylindrical bars under tension creep, 347

LORENTZEN, T. *Paper* Characterization of residual stresses generated during inhomogeneous plastic deformation, 243

LU, J. *Papers* A review of recent developments and applications in the field of X-ray diffraction for residual stress studies, 127. Study of through-thickness residual stress by numerical and experimental techniques, 449

MÄCKEL, P. *Paper* Strain analysis by means of digital shearography: potential, limitations and demonstration, 171

McKELVIE, J. *Paper* Moiré strain analysis: an introduction, review and critique, including related techniques and future potential, 137

MAJIMA, T. *Paper* Effect of the type of creep constitutive equation on strain and stress distributions of notched cylindrical bars under tension creep, 347

MASON, T. E. *Paper* The development of intergranular strains in a high-strength steel, 373

MISTRY, J. *Paper* Ultimate strength of a double-tee tubular joint subjected to combined chord compression and brace out-of-plane bending, 385

MOFFAT, D. G. *Papers* The ratchetting of plain carbon steel pressurized cylinders subjected to simulated seismic bending: the effect of the *D/t* ratio and comparison with finite element predictions, 39. Ultimate strength of a double-tee tubular joint subjected to combined chord compression and brace out-of-plane bending, 385

MONIN, V. *Paper* Model for the variation of the residual stress state during plastic deformation under uniaxial tension, 367

MOOBOLA, R. *Paper* Designing against fretting fatigue: crack self-arrest, 17

MORETON, D. N. *Paper* The ratchetting of plain carbon steel pressurized cylinders subjected to simulated seismic bending: the effect of the *D/t* ratio and comparison with finite element predictions, 39

NOWELL, D. *Paper* Designing against fretting fatigue: crack self-arrest, 17

OKAMOTO, M. *Paper* Analysis of large deflections for pressure loaded plates with rigid inclusions, 217

OYSU, C. *Paper* Two-dimensional elastic contact analysis by coupling finite element and boundary element methods, 459

PANG, J. W. L. *Paper* The development of intergranular strains in a high-strength steel, 373

PAPPALETTERE, C. *Technical Note* On the post-processing of data obtained from cracked components, 67

PATTERSON, E. A. *Papers* Simultaneous observation of phase-stepped images for automated photoelasticity, 1. Polymer coating as a strain witness in thermoelasticity, 223. An alternative finite difference method for post-processing thermoelastic data using compatibility, 437

PAVIER, M. J. *Papers* An assessment of the Sachs method for measuring residual stresses in cold worked fastener holes, 263. Finite element modelling of the interaction of residual stress with mechanical load for a crack emanating from a cold worked fastener hole, 275

© IMechE 1998

PETRUCCI, G. *Papers* A new calculation procedure for non-uniform residual stress analysis by the hole-drilling method, 27. A review of automated methods for the collection and analysis of photoelastic data, 75. A method for reducing the influence of quarter-wave plate errors in phase stepping photoelasticity, 207
PETZING, J. N. *Paper* Recent developments and applications in electronic speckle pattern interferometry, 153
POUSSARD, C. G. C. *Papers* An assessment of the Sachs method for measuring residual stresses in cold worked fastener holes, 263. Finite element modelling of the interaction of residual stress with mechanical load for a crack emanating from a cold worked fastener hole, 275

RAMESH, K. *Paper* Influence of the volume fraction of fibre-reinforced orthotropic composite on the mode-I stress intensity factor, 233
RASOULI YAZDI, S. *Paper* Study of through-thickness residual stress by numerical and experimental techniques, 449
REBELLO, J. M. A. *Paper* Model for the variation of the residual stress state during plastic deformation under uniaxial tension, 367
REES, D. W. A. *Paper* Cyclic plasticity, creep and fracture in a Nimonic alloy, 419
RETRAINT, D. *Papers* A review of recent developments and applications in the field of X-ray diffraction for residual stress studies, 127. Study of through-thickness residual stress by numerical and experimental techniques, 449
ROSE, L. R. F. *Paper* Substrate stress concentrations in bonded lap joints, 331

SACKFIELD, A. *Technical Note* Sliding contact between a blunt wedge and an elastically dissimilar half-plane, 469
SEN, S. *Papers* The finite element analysis of a strain hardening layered medium under normal loading by (a) a rigid and (b) a deformable indenter, 401. Finite element solutions comparing the normal contact of an elastic–plastic layered medium under loading by (a) a rigid and (b) a deformable indenter, 411
SETHURAMAN, R. *Paper* Influence of the volume fraction of fibre-reinforced orthotropic composite on the mode-I stress intensity factor, 233
SHEN, H.-S. *Paper* Postbuckling of composite laminated plates under biaxial compression combined with lateral pressure and resting on elastic foundations, 253
SILVERA, A. *Paper* Fatigue properties of a glass-fibre-reinforced polyester material used in wind turbine blades, 183
SIME, A. P. *Paper* The effect of regrinding bearing surfaces on stresses in overlapped crankshafts, 305
SMITH, D. I. *Papers* On the relaxation of interface stresses during creep of ferritic steel weldments, 195. An assessment of the Sachs method for measuring residual stresses in cold worked fastener holes, 263. Finite element modelling of the interaction of residual stress with mechanical load for a crack emanating from a cold worked fastener hole, 275
SORIA, A. E. *Paper* Fatigue properties of a glass-fibre-reinforced polyester material used in wind turbine blades, 183
STANLEY, P. *Paper* Development and applications of thermoelastic stress analysis, 93
STEINCHEN, W. *Paper* Strain analysis by means of digital shearography: potential, limitations and demonstration, 171

TANG, K. C. *Papers* The finite element analysis of a strain hardening layered medium under normal loading by (a) a rigid and (b) a deformable indenter, 401. Finite element solutions comparing the normal contact of an elastic–plastic layered medium under loading by (a) a rigid and (b) a deformable indenter, 411
TEODÓSIO, J. R. *Paper* Model for the variation of the residual stress state during plastic deformation under uniaxial tension, 367
TRUMAN, C. E. *Paper* The development of a linear influence function for an elastic half-space, 357. *Technical Note* Sliding contact between a blunt wedge and an elastically dissimilar half-plane, 469
TYRER, J. R. *Paper* Recent developments and applications in electronic speckle pattern interferometry, 153

VÁZQUEZ, J. *Paper* Fatigue properties of a glass-fibre-reinforced polyester material used in wind turbine blades, 183
VÖSSING, F. *Paper* Strain analysis by means of digital shearography: potential, limitations and demonstration, 171

WANG, C. H. *Paper* Substrate stress concentrations in bonded lap joints, 331
WANG, Z. F. *Paper* Simultaneous observation of phase-stepped images for automated photoelasticity, 1
WARRIOR, N. A. *Paper* The effect of regrinding bearing surfaces on stresses in overlapped crankshafts, 305

YADAV, A. K. *Paper* Influence of the volume fraction of fibre-reinforced orthotropic composite on the mode-I stress intensity factor, 233
YAHIAOUI, K. *Paper* The ratchetting of plain carbon steel pressurized cylinders subjected to simulated seismic bending: the effect of the *D/t* ratio and comparison with finite element predictions, 39
YANG, L. X. *Paper* Strain analysis by means of digital shearography: potential, limitations and demonstration, 171

ZEHSAZ, M. *Paper* The ratchetting of plain carbon steel pressurized cylinders subjected to simulated seismic bending: the effect of the *D/t* ratio and comparison with finite element predictions, 39
ZUCCARELLO, B. *Paper* A new calculation procedure for non-uniform residual stress analysis by the hole-drilling method, 27

© IMechE 1998

Subject Index

Alloy, Nimonic, 419
A METHOD FOR REDUCING THE INFLUENCE OF QUARTER-WAVE PLATE ERRORS IN PHASE STEPPING PHOTOELASTICITY, *Paper*, 207
AN ALTERNATIVE FINITE DIFFERENCE METHOD FOR POST-PROCESSING THERMOELASTIC DATA USING COMPATIBILITY, *Paper*, 437
ANALYSIS OF LARGE DEFLECTIONS FOR PRESSURE LOADED PLATES WITH RIGID INCLUSIONS, *Paper*, 217
Analysis:
  automated fringe pattern, 105
  finite element, 401
  Moiré strain, 137
  non-uniform residual stress, 27
  of components undergoing ratchetting and failure, 55
  of large deflections, 217
  of photoelastic data, 75
  strain, 171
  thermoelastic stress, 93
  two-dimensional elastic contact, 459
AN ASSESSMENT OF THE SACHS METHOD FOR MEASURING RESIDUAL STRESSES IN COLD WORKED FASTENER HOLES, *Paper*, 263
A NEW CALCULATION PROCEDURE FOR NON-UNIFORM RESIDUAL STRESS ANALYSIS BY THE HOLE-DRILLING METHOD, *Paper*, 27
APPROXIMATE METHOD FOR THE ANALYSIS OF COMPONENTS UNDERGOING RATCHETTING AND FAILURE, *Paper*, 55
A REVIEW OF AUTOMATED METHODS FOR THE COLLECTION AND ANALYSIS OF PHOTOELASTIC DATA, *Paper*, 75
A REVIEW OF RECENT DEVELOPMENTS AND APPLICATIONS IN THE FIELD OF X-RAY DIFFRACTION FOR RESIDUAL STRESS STUDIES, *Paper*, 127
AUTOMATED FRINGE PATTERN ANALYSIS IN EXPERIMENTAL MECHANICS: A REVIEW, *Paper*, 105
A THEORETICAL AND EXPERIMENTAL STUDY OF ALTERNATING CURRENT STRESS MEASUREMENT UNDER DIFFERENT LOADING MODES, *Paper*, 291

Bars, notched cylindrical, 347
Bending:
  brace out-of-plane, 385
  simulated seismic, 39
Blades, wind turbine, 183
Bodies, finite, 315

CHARACTERIZATION OF RESIDUAL STRESSES GENERATED DURING INHOMOGENEOUS PLASTIC DEFORMATION, *Paper*, 243
Coating, polymer, 223
Compatibility, 437
Composite, fibre-reinforced orthotropic, 233
Compression:
  biaxial, 253
  combined chord, 385
Concentration, 315
  factors, 395
  substrate stress, 331
Contact:
  sliding, 469
  two-dimensional elastic, 459
Crack, 275
  components, 67
  self-arrest, 17
Crankshaft, overlapped, 305
Creep, 195, 419
  constitutive equation, 347
  tension, 347
CYCLIC PLASTICITY, CREEP AND FRACTURE IN A NIMONIC ALLOY, *Paper*, 419
Cylinders, plain carbon steel pressurised, 39

Deformation, plastic, 243, 367
DESIGNING AGAINST FRETTING FATIGUE: CRACK SELF-ARREST, *Paper*, 17
DEVELOPMENT AND APPLICATIONS OF THERMOELASTIC STRESS ANALYSIS, *Paper*, 93
Diffraction, X-ray, 127

EFFECT OF THE TYPE OF CREEP CONSTITUTIVE EQUATION ON STRAIN AND STRESS DISTRIBUTIONS OF NOTCHED CYLINDRICAL BARS UNDER TENSION CREEP, *Paper*, 347
Elastic:
  contact, 459
  foundations, 253
  half-space, 357
  –plastic layered medium, 411
Equation, creep constitutive, 347
Errors, quarter-wave plate, 207
Experimental mechanics, 105

Factors:
  mode-I stress intensity, 233
  stress concentration, 395
Failure, 55
Fatigue:
  fretting, 17
  properties, 183
FATIGUE PROPERTIES OF A GLASS-FIBRE-REINFORCED POLYESTER MATERIAL USED IN WIND TURBINE BLADES, *Paper*, 183
Finite element:
  analysis, 401
  method, 459
  modelling, 275
  predictions, 39
  solutions, 411
FINITE ELEMENT MODELLING OF THE INTERACTION OF RESIDUAL STRESS WITH MECHANICAL LOAD FOR A CRACK EMANATING FROM A COLD WORKED FASTENER HOLE, *Paper*, 275
FINITE ELEMENT SOLUTIONS COMPARING THE NORMAL CONTACT OF AN ELASTIC–PLASTIC LAYERED MEDIUM UNDER LOADING BY (A) A RIGID AND (B) A DEFORMABLE INDENTER, *Paper*, 411
Fracture, 419
Function, linear influence, 357

Half-plane, 469
  elastically dissimilar, 469
Half-space, elastic, 357
Holes, cold worked fastener, 263, 275

Images, phase-stepped, 1
Inclusions, rigid, 217
Indenter:
  deformable, 401, 411
  rigid, 401, 411
INFLUENCE OF THE VOLUME FRACTION OF FIBRE-REINFORCED ORTHOTROPIC COMPOSITE ON THE MODE-I STRESS INTENSITY FACTOR, *Paper*, 233
Interferometry, electronic speckle pattern, 153

Joints:
  bonded lap, 331
  double-tee tubular, 385

Load, mechanical, 275

Material, glass-fibre-reinforced polyester, 183
Medium:
  elastic–plastic layered, 411
  layered, 401
Method:
  automated, 75

© IMechE 1998

boundary element, 459
distributed dislocation, 315
finite difference, 437
finite element, 459
hole-drilling, 27
reducing the influence of plate errors, 207
Sachs, 263
MODEL FOR THE VARIATION OF THE RESIDUAL STRESS STATE DURING PLASTIC DEFORMATION UNDER UNIAXIAL TENSION, *Paper*, 367
Modelling:
finite element, 275
plasticity, 315
MODELLING PLASTICITY IN FINITE BODIES CONTAINING STRESS CONCENTRATIONS BY A DISTRIBUTED DISLOCATION METHOD, *Paper*, 315
Modes, loading, 291
Moiré strain, 137
MOIRÉ STRAIN ANALYSIS: AN INTRODUCTION, REVIEW AND CRITIQUE, INCLUDING RELATED TECHNIQUES AND FUTURE POTENTIAL, *Paper*, 137

ON THE POST-PROCESSING OF DATA OBTAINED FROM CRACKED COMPONENTS, *Technical Note*, 67
ON THE RELAXATION OF INTERFACE STRESSES DURING CREEP OF FERRITIC STEEL WELDMENTS, *Paper*, 195

Phase stepping:
images, 1
photoelasticity, 207
Photoelastic data, 75
Photoelasticity:
automated, 1
phase stepping, 207
Plastic deformation, 367
Plasticity, cyclic, 419
Plates:
composite laminated, 253
edge-notched orthotropic, 395
pressure loaded, 217
Polymer coating, 223
POLYMER COATING AS A STRAIN WITNESS IN THERMOELASTICITY, *Paper*, 223
Postbuckling, 253
POSTBUCKLING OF COMPOSITE LAMINATED PLATES UNDER BIAXIAL COMPRESSION COMBINED WITH LATERAL PRESSURE AND RESTING ON ELASTIC FOUNDATIONS, *Paper*, 253
Post-processing, 67, 437
Pressure, lateral, 253
Properties, fatigue, 183

Ratchetting, 39, 55
RECENT DEVELOPMENTS AND APPLICATIONS IN ELECTRONIC SPECKLE PATTERN INTERFEROMETRY, *Paper*, 153
Regrinding bearing surfaces, 305

Shearography, digital, 171
SIMULTANEOUS OBSERVATION OF PHASE-STEPPED IMAGES FOR AUTOMATED PHOTOELASTICITY, *Paper*, 1
SLIDING CONTACT BETWEEN A BLUNT WEDGE AND AN ELASTICALLY DISSIMILAR HALF-PLANE, *Technical Note*, 469
Solutions, finite element, 411
Steel, high-strength, 373
Strain:
analysis, 171
distribution, 347
hardening, 401
intergranular, 373
Moiré, 137
STRAIN ANALYSIS BY MEANS OF DIGITAL SHEAROGRAPHY: POTENTIAL, LIMITATIONS AND DEMONSTRATION, *Paper*, 171
Stress, 305
alternating current, 291
concentration, 315
concentration factors, 395
distribution, 347
intensity factor, 233
interface, relaxation of, 195
residual, 27, 127, 243, 275, 263, 367, 449
substrate, 331
thermoelastic, 93
STRESS CONCENTRATION FACTORS OF EDGE-NOTCHED ORTHOTROPIC PLANTS, *Technical Note*, 395
STUDY OF THROUGH-THICKNESS RESIDUAL STRESS BY NUMERICAL AND EXPERIMENTAL TECHNIQUES, *Paper*, 449
SUBSTRATE STRESS CONCENTRATIONS IN BONDED LAP JOINTS, *Paper*, 331
Surfaces, bearing, 305

Techniques, numerical and experimental, 449
Tension, uniaxial, 367
THE DEVELOPMENT OF A LINEAR INFLUENCE FUNCTION FOR AN ELASTIC HALF-SPACE, *Paper*, 357
THE DEVELOPMENT OF INTERGRANULAR STRAINS IN A HIGH-STRENGTH STEEL, *Paper*, 373
THE EFFECT OF REGRINDING BEARING SURFACES ON STRESSES IN OVERLAPPED CRANKSHAFTS, *Paper*, 305
THE FINITE ELEMENT ANALYSIS OF A STRAIN HARDENING LAYERED MEDIUM UNDER NORMAL LOADING BY (A) A RIGID AND (B) A DEFORMABLE INDENTER, *Paper*, 401
THE RATCHETTING OF PLAIN CARBON STEEL PRESSURIZED CYLINDERS SUBJECTED TO SIMULATED SEISMIC BENDING: THE EFFECT OF THE *D/t* RATIO AND COMPARISON WITH FINITE ELEMENT PREDICTIONS, *Paper*, 39
Thermoelastic:
data, 93
stress, 437
Thermoelasticity, 223
TWO-DIMENSIONAL ELASTIC CONTACT ANALYSIS BY COUPLING FINITE ELEMENT AND BOUNDARY ELEMENT METHODS, *Paper*, 459

ULTIMATE STRENGTH OF A DOUBLE-TEE TUBULAR JOINT SUBJECTED TO COMBINED CHORD COMPRESSION AND BRACE OUT-OF-PLANE BENDING, *Paper*, 385

Wedge, blunt, 469
Weldments, ferritic steel, 195

X-ray diffraction, 127

© IMechE 1998